



**Disclaimer, warranties and limitation of liability**

This publication is intended to be an aid for all trades and professionals involved with specifying and installing LYSAGHT products and not to be a substitute for professional judgement.


Terms and conditions of sale available at local BlueScope Lysaght sales offices.

Except to the extent to which liability may not lawfully be excluded or limited, BlueScope Steel Limited will not be under or incur any liability to you for any direct or indirect loss or damage (including, without limitation, consequential loss or damage such as loss of profit or anticipated profit, loss of use, damage to goodwill and loss due to delay) however caused (including, without limitation, breach of contract, negligence and/or breach of statute), which you may suffer or incur in connection with this publication.

© Copyright BlueScope Steel Limited May 14, 2008

## Downpipes: Round

### Downpipes



**NSW**  
Tapered.

**Lengths**  
1800 & 2400

**Finish**  
ZL, GB & CB

**Dimensions**  
Diameter  
75  
90  
100

**Victoria**

**Lengths**  
1800 & 2400

**Finish**  
ZL & CB

**Dimensions & BMT**  
**0.40 BMT**  
Diameter  
50  
65  
75  
90

**0.55 BMT**  
100  
125  
150  
175  
200  
225  
250  
275  
300

**Queensland:**  
**Tapered**  
Whole length is tapered.

**Lengths**  
75 to 100 dia: 1800 & 2400  
125 to 150 dia: 1800

**BMT**  
75 to 100 dia: 0.40  
100 to 150 dia: 0.55

**Finish**  
ZL, GB & CB

**Dimensions**  
Diameter  
75  
90  
100  
125  
150

**Queensland:**  
**Parallel**  
**Lengths**  
900

**Finish**  
CB

**Dimensions (dia.) & BMT**  
75 dia: 0.40  
90 dia: 0.40  
100 dia: 0.40  
100 dia: 0.55  
125 dia: 0.55  
150 dia: 0.55  
Other diameters made to order in 0.55 BMT.

**SA & NT**

**Lengths**  
1800

**BMT**  
0.40 & 0.55

**Dimensions & finish**

Diameter & finish  
50 GB, ZL & CB  
75 GB, ZL & CB  
90 GB, ZL & CB  
100 GB, ZL & CB  
125 GB, ZL & CB  
150 GB, ZL & CB

(Some sizes available in CB Ultra)

**WA**

**Lengths**  
For all diameters: 1800 tapered  
75 diameter: 1800, 2400 crimped

**BMT**  
For all diameters: 0.40  
75- & above: 0.40 & 0.55

**Dimensions & finish**

Diameter & finish  
50 GB  
60 GB  
75 ZL & GB  
100 ZL & GB  
125 ZL & GB  
150 ZL & GB  
Ask for non-standard.

**Tasmania**  
Custom cut available.

**Lengths**  
1800

**BMT**  
0.60

**Finish**  
ZL & GB

**Dimensions**  
Diameter  
50  
75  
100  
125  
150


#### Remember

- ▲ Accessories
- ▲ Downpipes
- ▲ Flashings
- ▲ Fasteners

#### Abbreviations

CB = COLORBOND® colours on ZINCALUME® steel  
GB = GALVABOND® steel unpainted  
ZL = ZINCALUME® steel unpainted

## Pops/Nozzles/Drops



**NSW**  
Diameter  
75  
90  
100


**Victoria**  
Diameter  
50  
65  
75  
90  
100  
125  
150  
200

**Queensland**  
Diameter  
Universal  
75  
90  
100  
125  
150

**SA & NT**  
Diameter  
50-75-90  
100-125-150  
  
Specify loose or fitted to gutter.  
Limited colours.

**WA**  
Diameter  
50-65-70  
100  
  
Overflows:  
25 mm dia.  
x 100 long  
GB only

**Tasmania**  
Diameter  
50-75  
100-150



Universal nozzles also available in NSW.

**Finish**  
ZL & CB

**Finish**  
ZL & GB

**Finish**  
ZL & CB

**Finish**  
GB, ZL, CB


Ask for non-standard.

**Finish**  
ZL

**Finish**  
ZL

## Elbows (95°) & Shoes (45°)

Also known as bends in New South Wales and Queensland



**NSW**  
Refer to NSW Service Offer.


**Victoria**  
Diameter  
50  
65  
75  
90  
100

**Queensland**  
Diameter  
75  
90  
100  
125  
150  
  
Ask for non-standard.

**SA & NT**  
Diameter  
50  
65 (not SA)  
75  
90 (pressed bend diecast)  
100  
125  
150 (not NT)

**WA**  
Diameter  
75  
  
Ask for non-standard.

**Tasmania**  
Diameter  
50  
75  
100  
125  
150



**Finish**  
ZL, GB & CB


**Finish**  
ZL, GB & CB

Limited colours.  
  
**Finish**  
CB, ZL & GB

**Finish**  
ZL & GB

**Finish**  
ZL & GB

## Straps



Also known as astragals in New South Wales and South Australia, clips in Victoria and saddle straps in WA.


The sizes available are the same as those shown for pops.

In Victoria there is also a 170 mm diameter clip.

In Western Australia 75 mm strapping is used (1800 mm lengths).

**More downpipe accessories on next page** ➤

## Downpipe offsets (2 piece).



Adjustable Length  
450-600mm (150mm adjustment)

**NSW**  
Refer NSW  
Service Offer for  
details.  
  
**Finish**  
Refer NSW  
Service Offer for  
details.

**Victoria**  
Diameter  
65  
75  
90  
100

**Finish**  
ZL, GB & CB

**Queensland**  
Diameter  
50  
75  
Other sizes  
made to order.

**Finish**  
ZL & CB


**SA**  
Diameter  
50-75-90  
100-125-150

**Finish**  
ZL, GB & CB

**WA**  
Diameter  
75

**Finish**  
ZL, GB & CB

## Crimped bend 90 & 45 degrees (n/a in SA, WA & Qld)



**NSW**  
Diameter  
75  
90  
100

**Finish**  
ZL & CB


### Remember

- ▲ Accessories
- ▲ Downpipes
- ▲ Flashings
- ▲ Fasteners

### Abbreviations

CB = COLORBOND® colours on  
ZINCALUME® steel  
GB = GALVABOND® steel  
unpainted  
ZL = ZINCALUME® steel  
unpainted


## Standoff brackets



**SA**  
Diameter  
75-90-100  
125-150

**WA & NSW**  
Diameter  
75 -100  
Galvanised only  
Non-standard  
subject to enquiry.

## Chinamans hat



**NSW**  
Diameter  
(On short pipe)  
150  
175  
200  
225  
250  
300  
350  
400

**Finish**  
GB

**Queensland**  
Diameter  
(On short pipe)  
75  
90  
100  
125  
150  
175  
200  
225  
250  
300

**Finish**  
ZL, GB & CB


**SA**  
Diameter  
(On short pipe)  
Made to order  
75-100-125  
150-300

**Finish**  
GB & CB

**WA**  
Diameter  
Known as  
cap with strap  
100  
150  
200

**Finish**  
GB

### WA Flumes with base



150mm diameter  
Nominate roof pitch  
Available in COLORBOND®  
& ZINCALUME®